

# Safety Data Sheet

# **SECTION 1: Identification of the Substance/Mixture and of the Company.**

1.1 Product Identification:	
Product Name	: n-Hexane
CAS Number	: 110-54-3
Molecular Formula	: C6H14
EC Number	: 203-777-6
CAT Number	: KEMICAS - relevant catalogue numbers
Reach Number	: A registration number is not available for this substance as the substance
or its use are exempted from reg	istration according to Article 2 REACH Regulation (EC) No 907/2006, the annua
tonnage does not require a regis	tration, or the registration is envisaged for a later registration deadline.
1.2 Relevant identified uses of t	he substance or mixture and uses advised against
Application of the Substance	: Laboratory chemicals, not for food and drug
1.3 Details of the supplier of the	e safety data sheet
Manufacturer/Supplier	: KEMICAS
Email	: info@kemicas.com
1.4: Emergency Telephone num	ber
Emergency Number	: +31(0)853012877
Section 2: Hazards Identifie	cation
2.1 Classification of the substan	ce or mixture according to Regulation (EG 1272/2008)
Flammable liquid, Category 2, H2	225
Aspiration hazard, Category 1, H	304
Skin corrosion/irritation, Catego	ry 2, H315
Specific target organ toxicity - sir	ngle exposure, Category 3, H336
Reproductive toxicity, Category 2	2 H361
Specific target organ toxicity - re	peated exposure (Category 2), H373
Hazardous to the aquatic enviro	nment — Chronic Hazard, Category 2 H411
For the full text of H-sentences n	nentioned, see Section 16



For the full text of R-sentences mentioned, see Section 16

## 2.2 GHS Label

# GHS-Labelling Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word:

## DANGER

## Hazard Statements:

<u>Hazara otatementor</u>		
H225	Highly flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H361	Suspected of damaging the unborn child.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H411	Toxic to aquatic life with long lasting effects.	
Precautionary Statements:		
P210	Keep away from heat, sparks, open flames, hot surfaces. No smoking.	
P240	Ground and bond container and receiving equipment.	
P273	Avoid release to the environment.	
P331	Do NOT induce vomiting.	
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.	
P403+P235	Store in a well-ventilated place. Keep cool.	

#### Hazard Pictograms:



Signal word:

## DANGER



# Section 3: Composition / Information on Ingredients.

## 3.1 Substance

Component	CAS-No.	Concentration	Classification REGULATION (EC) No (1272/2008)
n-Hexane	110-54-3	C6H14 According to the grade	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Corr. 2, H315 Repr. 2, H361 STOT RE 2, H373 Aquatic Chronic 2, H411

# Section 4: First Aid Measures

## **4.1 Description of first aid measures**

## <u>General Advice</u>

First-aid personnel: ensure self-protection!

After inhalation: Fresh air. If breathing stops immediately apply mechanical ventilation, if necessary oxygen mask. Immediately call in physician.

After contact with skin: Wash off with plenty of water. Remove contaminated clothing.

After contact with eyes: Rinse out with plenty of water for at least 10 minutes with the eyelid held wide open.

Immediately call in physician

After ingestion: Never give anything by mouth to an unconscious person. Make the victim drink plenty of water, do not induce vomiting. Call in physician.

## 4.2 Most Important symptoms and effects, both acute and delayed

Refer to labelling (see section 2.2) and/or in section 11.

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

Section 5: Firefighting Measures.

5.1 Extinguishing media

#### Suitable Extinguishing Media

Quick-acting ABC powder extinguisher. Class B foam extinguisher.

Unsuitable Extinguishing Media

Do not use water. Use carbon dioxide or dry chemical.

Revision Date: 01-05-2019

www.kemicas.com



## 5.2 Special hazards arising from substance or mixture

Combustible. Vapours heavier than air. Forms explosive mixtures with air at ambient temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

## **5.3 Advice for firefighters**

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

## **5.4 Further information**

No data available

## Section 6: Accidental Release Measures.

## 6.1 Personal precautions, protective equipment and emergency procedures

Do not inhale vapours/aerosols. Avoid substance contact. Ensure supply of fresh air in enclosed rooms.

For personal protection, see section 8.

#### **6.2 Environmental precautions**

Do not allow to enter sewerage system.

## 6.3 Methods and materials for containment and cleaning up

Absorb on vermiculite, sand or a pillow from Chemical Spill Centre.

6.4 Reference to other sections

No information available

## Section 7: Handling and Storage.

## 7.1 Precautions for safe handling

Keep away from sources of ignition. Take measures to prevent electrostatic charging. Work under hood. Do

not inhale substance. For precautions, refer to section 2.2

## 7.2 Conditions for safe storage, including any incompatibilities

Closed in a well-ventilated place. Recommended storage temperature see product label.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2, no other specific uses are stipulated.

## **Section 8: Exposure Controls - Personal Protection.**

## 8.1 Control parameters

No data available



## 8.2 Exposure controls

## Engineering Measures

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

## Individual Protection Measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance. Under no circumstances eat or drink at workplace. Work under hood. Do not inhale substance.

## **Respiratory Protections**

Required when vapours/aerosols are generated. The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

<u>Eye Protection</u> Required. Wear goggles. <u>Hand Protection</u> Required. Wear gloves <u>Body Protection</u> Required. <u>Environmental Exposure Controls</u> Do not allow to enter sewerage system, risk of explosion!

# Section 9: Physical and Chemical Properties.

## 9.1 Information on basis physical

## Appearance and Changes in Physical State

Form: Liquid/ Solid Color: Colorless Odour: Petroleum like odour Melting point: -95 °C Boiling point: 69 °C Flash point: -22 °C Revision Date: 01-05-2019



Ignition temperature: 280 °C Mol. Weight: 86.18 g/mol Density: 660 kg/m<sup>3</sup> pH value: -Solubility in water: Insoluble Relative density of saturated gas/air mixture : 1.3 Explosion limits: lower 1.1 vol% / upper 7.5 vol% Further information: -

No further relevant information available.

# Section 10: Stability and Reactivity.

10.1 Reactivity

See section 10.3

**10.2 Chemical stability** 

No further relevant information available.

**10.3 Possibility of hazardous reactions** 

Exposable with air in a vaporous/gaseous state when heated

**10.4 Conditions to avoid** 

No further relevant information available.

**10.5 Incompatible materials** 

No further relevant information available.

## **10.6 Hazardous decomposition products**

No further relevant information available.

11.1 Information on toxicological effects

# Section 11: Toxicological Information.

Acute oral toxicity	: LD50 orl. rat 16000 mg/kg
Acute inhalation toxicity	: No further relevant information available.
Acute dermal toxicity	: No further relevant information available.
Skin irritation	: No further relevant information available.



Eye irritation	: No further relevant information available	
Sensitisation	: No further relevant information available.	
Germ cell mutagenicity	: No further relevant information available.	
Carcinogenicity	: No further relevant information available.	
Reproductive toxicity	: No further relevant information available.	
Teratogenicity	: No further relevant information available	
Specific target organ toxicity - single exposure	: No further relevant information available.	
Specific target organ toxicity - repeated exposure	: No further relevant information available.	
Aspiration hazard	: No further relevant information available.	

## **11.2 Further information**

Handle in accordance with good industrial hygiene and safety practice.

## Section 12: Ecological Information.

## **12.1** Toxicity

No further relevant information available.

**12.2** Persistence and degradability

No further relevant information available.

**12.3** Bio accumulative potential

No further relevant information available.

## 12.4 Mobility in soil

No further relevant information available.

## **12.5 Results of PBT and vPvB assessment**

No further relevant information available.

## **12.6 Other adverse effects**

Do not allow to enter waters, wastewater, or soil!

## Section 13: Disposal Considerations.

Product : Chemicals must be disposed of in compliance with the respective national regulations.

Packaging : KEMICAS product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

## Section 14: Transport Information.



## Land Transport (ADR/RID)

14.1 UN number	: UN 1208	
14.2 Proper shipping name	: Hexanes	
14.3 Class	: 3	
14.4 Packing	: Group II	
14.5 Environmentally hazardous	: Yes	
14.6 Special precautions for user	: No	
14.7 Tunnel restriction code	: (D/E)	
Inland waterway transport (ADN)		
Not relevant		
<u>Air Transport (IATA)</u>		
14.1 UN number	: UN 1208	
14.2 Proper shipping name	: Hexanes	
14.3 Class	: 3	
14.4 Packing	: Group II	
14.5 Environmentally hazardous	: Yes	
14.6 Special precautions for user	: No	
<u>Sea Transport (IMDG)</u>		
14.1 UN number	: UN 1208	
14.2 Proper shipping name	: Hexanes	
14.3 Class	: 3	
14.4 Packing	: Group II	
14.5 Environmentally hazardous	: Yes	
14.6 Special precautions for user	: No	

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not relevant

# Section 15: Regulatory Information.

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

For this product, an assessment was not carry out.

## **15.2 Chemical Safety Assessment**

For this product, an assessment was not carry out. Revision Date: 01-05-2019 www.kemicas.com



# Section 16: Other Information.

The information and recommendations in this SDS are to the best of KEMICAS knowledge, information and belief. KEMICAS cannot be held responsible for any damage resulting from any possible error in this publication. *Full text of H-Statements and R-phrases referred to under sections 2 and 3.* 

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract
	irritation, Narcosis
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes severe skin burns and eye damage.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

# **Exposure Scenario 1 (Industrial Use)**

**1.** Industrial use Reagent for analysis, (Chemical production)

## Sectors of end-use

- SU 3 : Industrial uses: Uses of substances as such or in preparations at industrial sites
- SU 9 : Manufacture of fine chemicals
- SU10 : Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)

## Chemical product category

- PC19 : Removed from PC list and relocated in the technical function list (Table R.12-15)24.
- PC21 : Laboratory chemicals

## Process categories



PROC 1 : Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC 2 : Chemical production or refinery in closed

PROC 2 : Chemical production or refinery in closed continuous process with occasional controlled

exposure or processes with equivalent containment conditions

PROC 3 : Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC 4 : Chemical production where opportunity for exposure arises

PROC 5 Mixing or blending in batch processes

PROC 8a : Transfer of substance or mixture (charging and discharging) at non- dedicated facilities 26

PROC 8b : Transfer of substance or mixture (charging and discharging) at dedicated facilities26

PROC 9 : Transfer of substance or mixture into small containers (dedicated filling line, weighing)

- PROC10 : Roller application or brushing
- PROC15 : Use as laboratory reagent

## Environmental Release Categories

- ERC 1 : Manufacture of the substance
- ERC 2 : Formulation into mixture
- ERC 4 : Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
- ERC 6a : Use of intermediate

ERC 6b : Use of reactive processing aid at industrial site (no inclusion into or onto article)

# **Exposure Scenario 2 (Professional Use)**

# 1. Industrial use Reagent for analysis, (Chemical production)

## Sectors of end-use

SU22 : Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

## Chemical product category

PC21 : Laboratory chemicals

## Process categories

PROC15 : Use as laboratory reagent

Environmental Release Categories

ERC 2 : Formulation into mixture



ERC 6a : Use of intermediate

ERC 6b : Use of reactive processing aid at industrial site (no inclusion into or onto article)

# **Disclaimer:**

The information above is believe to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall KEMICAS be liable for any claims, losses, or damages of any third party or for lost profits or any indirect, incidental, consequential or exemplary damages, howsoever arising, even if KEMICAS has been advise of the possibility of such damages.