

Safety Data Sheet

SECTION 1: Identification of the Substance/Mixture and of the Company.

1.1 Product Identification:		
Product Name	: Potassium lodate	
CAS Number	: 7758-05-6	
Molecular Formula	: KIO3	
EC Number	: 231-831-9	
CAT Number	: KEMICAS - relevant catalogue numbers	
Reach Number	: A registration number is not available for this substance as the substance	
or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 907/2006, the annual		
tonnage does not require a registration, or the registration is envisaged for a later registration deadline.		
1.2 Relevant identified uses of the substance or mixture and uses advised against		
Application of the Substance	: Laboratory chemicals, not for food and drug	
1.3 Details of the supplier of the safety data sheet		
Manufacturer/Supplier	: KEMICAS	
Email	: info@kemicas.com	
1.4: Emergency Telephone number		
Emergency Number	: +31(0)853012877	
Section 2: Hazards Identific	ation	
2.1 Classification of the substand	ce or mixture according to Regulation (EG 1272/2008)	
Oxidising solid, Category 2, H272		
Skin corrosion/irritation, Categor	ry 2, H315	
Serious eye damage/eye irritation, Category 2 H319		
Specific target organ toxicity - single exposure, Category 3, H335		
For the full text of H-sentences mentioned, see Section 16		
For the full text of R-sentences mentioned, see Section 16		
2.2 GHS Label		
GHS-Labelling Labelling (REGULATION (EC) No 1272/2008)		

www.kemicas.com



Hazard pictograms



Signal word:

DANGER

Hazard Statements:

H272 May inte	nsify fire; oxidiser.
---------------	-----------------------

H315 Causes skin irritation.

- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

Precautionary Statements:

P221	Take any precaution to avoid mixing with combustibles.
P280	Wear protective gloves, protective clothing, eye protection, face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing

Hazard Pictograms:



Signal word:

DANGER

Section 3: Composition / Information on Ingredients.

3.1 Substance

Component	CAS-No.	Concentration	Classification REGULATION (EC) No (1272/2008)
Potassium lodate	7758-05-6	KIO3 According to the grade	Ox. Sol. 2, H272 Skin Corr. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335



Section 4: First Aid Measures

4.1 Description of first aid measures

General Advice

First-aid personnel: ensure self-protection!

After inhalation: Fresh air. If breathing stops immediately apply mechanical ventilation, if necessary oxygen mask. Immediately call in physician.

After contact with skin: Wash off with plenty of water. Remove contaminated clothing.

After contact with eyes: Rinse out with plenty of water for at least 10 minutes with the eyelid held wide open.

Immediately call in physician

After ingestion: Never give anything by mouth to an unconscious person. Make the victim drink plenty of water, do not induce vomiting. Call in physician.

4.2 Most Important symptoms and effects, both acute and delayed

Refer to labelling (see section 2.2) and/or in section 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

Section 5: Firefighting Measures.

5.1 Extinguishing media

Suitable Extinguishing Media

In adaption to materials stored in the immediate neighbourhood.

Unsuitable Extinguishing Media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from substance or mixture

Non-Combustible.

5.3 Advice for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin,

keep a safety distance and wear suitable protective clothing.

5.4 Further information

No data available

Section 6: Accidental Release Measures.



6.1 Personal precautions, protective equipment and emergency procedures

Do not inhale vapours/aerosols. Avoid substance contact. Ensure supply of fresh air in enclosed rooms.

For personal protection, see section 8.

6.2 Environmental precautions

Do not allow to enter sewerage system.

6.3 Methods and materials for containment and cleaning up

Absorb on vermiculite, sand or a pillow from Chemical Spill Centre.

6.4 Reference to other sections

No information available

Section 7: Handling and Storage.

7.1 Precautions for safe handling

Keep away from sources of ignition. Take measures to prevent electrostatic charging. Work under hood. Do not inhale substance. For precautions, refer to section 2.2

7.2 Conditions for safe storage, including any incompatibilities

Closed in a well-ventilated place. Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2, no other specific uses are stipulated.

Section 8: Exposure Controls - Personal Protection.

8.1 Control parameters

No data available

8.2 Exposure controls

Engineering Measures

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Individual Protection Measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance. Under no circumstances eat or drink at workplace. Work under hood. Do not inhale substance.



Respiratory Protections

Required when vapours/aerosols are generated. The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Eye Protection

Required. Wear goggles.

Hand Protection

Required. Wear gloves

Body Protection

Required.

Environmental Exposure Controls

Do not allow to enter sewerage system, risk of explosion!

Section 9: Physical and Chemical Properties.

9.1 Information on basis physical

Appearance and Changes in Physical State

Form: Solid Color: White Odour: Odourless Melting point: 560 °C Boiling point: 735 °C Flash point: -Ignition temperature: -Mol. Weight: 214.02 g/mol Density: 3520 kg/m³ pH value: 6.07 Solubility in water: Moderately soluble Relative density of saturated gas/air mixture : 3.5

Explosion limits: -

Further information: -

9.2 Other data

Revision Date: 01-05-2019



No further relevant information available.

Section 10: Stability and Reactivity.

10.1 Reactivity			
See section 10.3			
10.2 Chemical stability			
No further relevant information available.			
10.3 Possibility of hazardous reactions			
Exposable with air in a vaporous/gaseous state when heated			
10.4 Conditions to avoid			
No further relevant information available.			
10.5 Incompatible materials			
No further relevant information available.			
10.6 Hazardous decomposition products			
No further relevant information available.			
Section 11: Toxicological Information.			
11.1 Information on toxicological effects			
Acute oral toxicity	: LD50 orl. rat 500-1100 mg/kg		
Acute inhalation toxicity	: No further relevant information available.		
Acute dermal toxicity	: No further relevant information available.		
Skin irritation	: Causes skin irritation.		
Eye irritation	: Causes eye irritation.		
Sensitisation	: No further relevant information available.		
Germ cell mutagenicity	: No further relevant information available.		
Carcinogenicity	: No further relevant information available.		
Reproductive toxicity	: No further relevant information available.		
Teratogenicity	: No further relevant information available		
Specific target organ toxicity - single exposure	: May cause respiratory irritation.		
Specific target organ toxicity - repeated exposure	: No further relevant information available.		
Aspiration hazard	: No further relevant information available.		



11.2 Further information

Handle in accordance with good industrial hygiene and safety practice.

Section 12: Ecological Information.

12.1 Toxicity

No further relevant information available.

12.2 Persistence and degradability

No further relevant information available.

12.3 Bio accumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

No further relevant information available.

12.6 Other adverse effects

Do not allow to enter waters, wastewater, or soil!

Section 13: Disposal Considerations.

Product : Chemicals must be disposed of in compliance with the respective national regulations.

Packaging : KEMICAS product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

Section 14: Transport Information.

Land Transport (ADR/RID)

14.1 UN number	: UN 1479
14.2 Proper shipping name	: Oxidizing solid, Potassium Iodate
14.3 Class	: 5.1
14.4 Packing	: Group II
14.5 Environmentally hazardous	: No
14.6 Special precautions for user	: No
14.7 Tunnel restriction code	: (E)
Inland waterway transport (ADN)	

Revision Date: 01-05-2019



Not relevant

<u>Air Transport (IATA)</u>	
14.1 UN number	: UN 1479
14.2 Proper shipping name	: Oxidizing solid, Potassium Iodate
14.3 Class	: 5.1
14.4 Packing	: Group II
14.5 Environmentally hazardous	: No
14.6 Special precautions for user	: No
<u>Sea Transport (IMDG)</u>	
14.1 UN number	: UN 1479
14.2 Proper shipping name	: Oxidizing solid, Potassium Iodate
14.3 Class	: 5.1
14.4 Packing	: Group II
14.5 Environmentally hazardous	: No
14.6 Special precautions for user	: No
	Anney U of MARDOL 72/70 and the IDC Code. Not val

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not relevant

Section 15: Regulatory Information.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

For this product, an assessment was not carry out.

15.2 Chemical Safety Assessment

For this product, an assessment was not carry out.

Section 16: Other Information.

The information and recommendations in this SDS are to the best of KEMICAS knowledge, information and

belief. KEMICAS cannot be held responsible for any damage resulting from any possible error in this publication.

Full text of H-Statements and R-phrases referred to under sections 2 and 3.

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Ox. Sol. 2	Oxidising Solids, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	



STOT SE 3	Specific target organ toxicity — Single exposure, Categ	gory 3, Respiratory tract
	irritation, Narcosis	
H272	May intensify fire; oxidiser	
H315	Causes severe skin burns and eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
Exposure Scenario 1 (Ind	ustrial Use)	
1. Industrial use Reagent for	analysis, (Chemical production)	
Sectors of end-use		
SU 3 : Industrial uses: Uses	of substances as such or in preparations at industrial site	S
SU 9 : Manufacture of fine	chemicals	
SU10 : Formulation [mixing]	of preparations and/ or re-packaging (excluding alloys)	
Chemical product category		
PC19 : Removed from PC lis	t and relocated in the technical function list (Table R.12-	15)24.
PC21 : Laboratory chemical	5	
Process categories		
PROC 1 : Chemical pro	duction or refinery in closed process without likelihood o	f exposure or processes
with equivalent containment	conditions.	
PROC 2 : Chemical pro	duction or refinery in closed	
PROC 2 : Chemical pro	duction or refinery in closed continuous process with occ	asional controlled
exposure or processes with e	quivalent containment conditions	
PROC 3 : Manufacture	or formulation in the chemical industry in closed batch p	rocesses with occasional
controlled exposure or proces	sses with equivalent containment condition	
PROC 4 : Chemical pro	duction where opportunity for exposure arises	
PROC 5 Mixing or blending in	batch processes	
PROC 8a : Transfer of su	ibstance or mixture (charging and discharging) at non- de	dicated facilities 26
PROC 8b : Transfer of su	ubstance or mixture (charging and discharging) at dedicat	ed facilities26
PROC 9 : Transfer of su	ibstance or mixture into small containers (dedicated fillin	g line, weighing)
PROC10 : Roller applica	tion or brushing	
PROC15 : Use as labora Revision Date: 01-05-2019	tory reagent www.kemicas.com	Page 9 of 10



Environmental Release Categories

- ERC 1 : Manufacture of the substance
- ERC 2 : Formulation into mixture
- ERC 4 : Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
- ERC 6a : Use of intermediate
- ERC 6b : Use of reactive processing aid at industrial site (no inclusion into or onto article)

Exposure Scenario 2 (Professional Use)

1. Industrial use Reagent for analysis, (Chemical production)

Sectors of end-use

SU22 : Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category

- PC21 : Laboratory chemicals
- Process categories
- PROC15 : Use as laboratory reagent
- Environmental Release Categories
- ERC 2 : Formulation into mixture
- ERC 6a : Use of intermediate
- ERC 6b : Use of reactive processing aid at industrial site (no inclusion into or onto article)

Disclaimer:

The information above is believe to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall KEMICAS be liable for any claims, losses, or damages of any third party or for lost profits or any indirect, incidental, consequential or exemplary damages, howsoever arising, even if KEMICAS has been advise of the possibility of such damages.